DIVINE
HEALTH HOME CARE

HOSPITAL EQUIPMENT

HOSPITAL EQUIPMENT

Bringing Hospital-Quality Care
to the Comfort of Home

+91 9355 100 499
+91 9355 300 499

HOSPITAL & MEDICAL EQUIPMENT FOR RENT & SALE

- **ICU Setup at Home**
- **Oxygen Cylinder & Concentrator**
- **BiPAP, CPAP & Patient Monitors**
- **Electric & Manual Hospital Beds**
- **Wheelchair, Commode Chair & Walker**
- **Air Mattress, Nebulizer & Vaporizer**
- **DVT Pump & Suction Machine**
- **Syringe & Infusion Pump**

OUR HOME HEALTH CARE SERVICES

ICU	MED	RN	GDA
ICU Care at Home	**Medical Equipment** Sales / Rental	**Nursing Service** at Home	**Attendant** at Home

VISIT DIVINE HEALTH HOME CARE

15A & 22A, First Floor, Near Chunmun, Galaxy Blue Sapphire Plaza,
Greater Noida West (Noida Extension), Uttar Pradesh 201301.

Find the right equipment

Product codes, categories and page references

EQUIPMENT CATEGORY	PRODUCT CODES	PAGE
Hospital beds & mattresses	DHC-001–007	3
Bedside lockers & overbed tables	DHC-008–014	5
Stretchers & recovery trolleys	DHC-015–019	7
Mobility, seating & waste trolleys	DHC-020–023	9
Examination tables & couches	DHC-024–028	10
Ward accessories & stools	DHC-029–038	12
X-ray viewers	DHC-039–042	15
LDR, labour & attendant beds	DHC-043–046	17
Crash carts & clinical trolleys	DHC-047–056	18
Neonatal care & phototherapy	DHC-057–069	21
Linen trolleys & OT tables	DHC-070–076	26
Foggers, OT lights & cautery	DHC-077–086	28
Syringe pumps, ECG & oximetry	DHC-087–094	31
Patient & foetal monitors	DHC-095–102	34
Bassinets, cribs & foetal Dopplers	DHC-103–106	37
Scrub stations & hospital curtains	DHC-107–110	38
Anaesthesia, suction & critical care	DHC-111–116	39
Autoclaves & stainless steelware	DHC-117–127	41
DVT therapy	DHC-128	45

PRODUCT CODE DHC-001

Electric ICU Bed - 5 Function

Mattress included. • Advanced linear actuator system (04 pcs. Motor, 01 pcs. Control box, 01 pcs. Handset) • PP Head and Foot Panels along with lock. • PP Moulded Four Pieces individual Side Rails With Inbuilt Bed Angle Indicator. • Framework made-up of M.S. Tubes. • 4 Section Platform Top made-up of Oval Perforated CRCA M.S. Sheet. • Bed Mounted on 125mm (5”) Central Locking Twin Wheel Castors along with Directional Lock. • S. Telescopic I.V. Rod with 4 Hook’s and Provision at 4 Locations. • Positions Obtained/Function’s by Patient Hand Remote: Backrest, Knee Rest, Trendelenburg & Reverse Trendelenburg, Hi – Low, Auto-Contour. • Finish: Pre-treated & Epoxy Powder Coated. • Overall Size: 2160L x 1050W x 450 – 750H mm. • Angle of Back Section: 70° • Angle of Knee Section: 25° • Angle of Trendelenburg / Reverse Trendelenburg: 12° / 12°

PRODUCT CODE DHC-002

Manual ICU Bed - 5 Function

Mattress included. • PP Head and Foot Panels • PP Moulded Four Pieces individual Side Rails With Inbuilt Bed Angle Indicator. • Framework made-up of M.S. Tubes. • 4 Section Platform Top made-up of MS • Bed Mounted on 125mm (5”) Diagonal Locking • S. Telescopic I.V. Rod • Positions Obtained by Separate Smooth Crank System with S.S. Foldable Handle: Backrest, Kneerest, Hi-Low, Trendelenburg /Reverse Trendelenburg. • Finish: Pre-treated & Epoxy Powder Coated. • Overall Size: 2160L x 980W x 630 – 830H mm. • Angle of Back Section: 75° • Angle of Knee Section: 30° • Angle of Trendelenburg / Reverse Trendelenburg: 7° / 6°

PRODUCT CODE DHC-003

Electric Fowler Bed - 2 Function

- ABS head and foot panel, ABS Side railing, IV ROD, ABS Wheel)
- Advanced linear actuator system
- PP Head and Foot Panels along with lock and corner buffer.
- PP Moulded Four Pieces individual Side Rails With Inbuilt Bed
- Framework made-up of M.S. Tubes. 4 Section Platform Top made-up of Oval Perforated CRCA M.S. Sheet.
- Bed Mounted on 100mm (4”) Diagonal Locking Castors.
- Remote: Backrest, Kneerest.
- Finish: Pre-treated & Epoxy Powder Coated.
- Dimensions (Approx.):
- Overall Size: 2200L x 1020W x 600H mm.
- Angle of Back Section: 70°
- Angle of Knee Section: 30°

PRODUCT CODE DHC-004

Mechanical Fowler Bed - ABS Panels

- ABS Panel, ABS Wheel, 4"Wheel, Mattress
- Backrest, Kneerest, Leg rest operated by Manual Crank System.
- ABS Side Railing
- Polymer Moulded Head and Foot Panels easily removable without using any tools Framework made-up of CRCA Tubes.
- 4 Section Platform Top made-up of Perforated CRCA Sheet, Bed Mounted on 100mm Diagonal Locking Castors.
- Provision for IV Rod at 4 Locations.
- Urine Bag Holder on Both Sides.
- Finish: Pre-treated & Epoxy Powder Coated.
- Dimensions (Approx.)
- Overall Size: 2130L x 980 x 600H mm.
- Angle of Back Section: 75° Angle of Knee Section: 35°

PRODUCT CODE DHC-005

Manual Semi-Fowler Bed

- (With ABS Head & Foot Panel, With Collapsible side Railing, With Mattress, With IV Rod and With 4" ABS Wheel)
- Framework made-up of M.S. Tubes.
- 2 Section Platform Top made-up of Oval Perforated CRCA M.S. Sheet.
- Bed Mounted on 4" ABS Wheel.
- Positions Obtained by Smooth Crank System with S.S. Foldable Handle: Backrest.
- Finish: Pre-treated & Epoxy Powder Coated.
- Overall Size: 2110L x 950W x 600H mm.
- Angle of Back Section: 85°

PRODUCT CODE DHC-006

Mechanical Semi-Fowler Bed - ABS Panels

AR-118 Description • Polymer Moulded Head and Foot Panels easily removable without using any tools • Framework made-up of CRCA Tubes. • 2 Section Platform Top made-up of Perforated CRCA Sheet. • Bed Mounted on PVC Stumps/ Shoes. Provision for IV Rod at 4 Locations, Urine Bag Holder on Both Sides. • Backrest operated by Smooth Crank System with Foldable Handle. • Finish: Pre-treated & Epoxy Powder Coated. Dimensions (Approx.) • Overall Size: 2130L x 980W x 600H mm. Angle of Back Section: 85° • Optional Accessories • 2 Section PU Foam Mattress with Zipper Rexine Cover • Heavy Duty I.V Rod. • Collapsible Safety Side-Rails. • 100mm Diagonal locking Castors.

PRODUCT CODE DHC-007

Medical Grade Mattress

Medical grade mattress.

PRODUCT CODE DHC-008

Bedside Locker - General | Divine

- Product Specification :-
- Frame Work of Bed Side Locker Standard is made of Square tube.
- The M.S. Square Pipe Frame With MS Cup-Board & SS Top.
- It has Stainless Steel plain top / Three Sides Raise Edges.
- It comes with cupboard box for storage.
- The Legs With Rubber Stumps.
- It is Pre – Treated Epoxy Powder Coated.
- Product Size : 40 L x40 W x 82 H cm.

PRODUCT CODE DHC-009

Bedside Locker with Drawer | Divine

- Product Specification :-
- Locker made of CRCA sheets/ Square CRCA Pipe.
- Top made-up of Stainless Steel & Drawer & Cabinet door CRCA Sheet.
- Mounted on 50 mm wheels at rear and 2 pcs PVC stumps/ Shoes in front.
- Finish: Pretreated & Epoxy Powder Coated. Overall Size: 400L x 400W x 850H mm

PRODUCT CODE DHC-010

Bedside Locker - ABS Top & Cabinet

- Grey colour.
- Locker made of CRCA sheets/ Square CRCA Pipe.
- Top, Drawer & Cabinet door made-up of Premium quality of Polymer.
- Mounted on 50 mm wheels at rear and 2 pcs
- PVC stumps/ Shoes in front.
- Finish: Pretreated & Epoxy Powder Coated.
- Overall Size: 400L x 400W x 850H mm

PRODUCT CODE DHC-011

ABS Bedside Locker | Divine

- Bedside Locker is made of ABS Plastic.
- It comes with two towel rail.
- The body section is mounted on 50 mm castors.
- It comes with cupboard box.
- It comes with one drawer for storage.
- Product Dimension : 450 L x 450 W x 900 H mm.

PRODUCT CODE DHC-012

Overbed Table / Food Trolley | Divine

- MS Body with Wooden Top
- Wooden laminated Top with CRCA Heavy frame.
- Framework made of CRCA tubular Mounted on 50 mm wheels.
- Finish: Pretreated & Epoxy Powder Coated.
- Overall Size: 1060L x 435W x 1060H mm.
- Top Size: 880L X 435W X 28H mm

PRODUCT CODE DHC-013

Gear Overbed Table - ABS Top | Divine

- Dimension 760 mm X 400 mm X 760 mm
- Rectangular framework mounted on 50mm castors.
- Laminated top adjustable by Gear.
- All metal components are pretreated and epoxy powder coated.

PRODUCT CODE DHC-014

Pneumatic Overbed Table - ABS Top | Divine

- Pneumatic Over Bed Table With Abs Top Wsh-1362
- Rectangular Framework mounted on 2-inch diameter Castors
- 83 x 45 cms ABS Moulded Top
- Adjusted by Pneumatic Gas Spring
- Finish : Pre-Treated Epoxy Powder Coated

PRODUCT CODE DHC-015

Stretcher Trolley - MS | Divine

- Removable MS Top
- MS Body
- 5" Wheel
- Size: 2120 x 590 x 820 mm
- Capacity : 150 kg Optional accessories: side railing, oxygen cylinder trolley, mattress and safety belt (supplied separately).

PRODUCT CODE DHC-016

Stretcher Trolley - Stainless Steel | Divine

- Removable SS Top
- SS Body-202SS
- 4" Wheel
- Size: 2120 x 590 x 820 mm
- Capacity : 150 kg Optional accessories: side railing, oxygen cylinder trolley, mattress and safety belt (supplied separately).

PRODUCT CODE DHC-017

Stretcher Trolley with Mattress | Divine

- Framework made of Tubular M.S. Pipe with S.S. handle.
- 2 Section Platform Top with Fixed 50mm (2”) Mattress.
- Trolley mount on 150 mm diagonal Locking castors.
- Swing Away Type Safety Side Railing in M.S.
- Provided with Adjustable S.S. I.V. Rod, Utility Tray, and Cylinder Cage.
- Finish: Pretreated and Epoxy powder coated.
- Stretcher Top Size (Handle to handle) : 2090L x 560W
- Overall Size: 2090L x 590W x 840H mm.

PRODUCT CODE DHC-018

Hydraulic Emergency Recovery Trolley

Two-section X-ray compatible top with sliding cassette tray. Trendelenburg / reverse Trendelenburg operated pneumatically. Utility tray and cylinder provision.

PRODUCT CODE DHC-019

Stretcher Trolley with Backrest & Mattress

- Frame is made of CRCA Sheet & Pipes.
- Trolley is mounted over 125 mm diagonally locking castor wheels.
- Provision for saline stand.
- Provided with swing down polymer moulded safety side rails.
- Backrest can be adjusted via gas spring up to 65°
- High-Low can be adjusted via crank mechanism
- Dimension: 2050x760 x 560-800 mm
- the complete metal component is pre treated and epoxy powder coated.

PRODUCT CODE DHC-020

Folding Wheelchair | Karma

Folding, compact design. Chrome-plated mild steel frame. Self-propelled and attendant-propelled operation.

PRODUCT CODE DHC-021

Waiting Area Chair - 3 Seater

- MS Body
- Length - 70 Inches
- Width - 24 Inches
- Height - 31 Inches
- Seating height - 17 Inches
- Product Weight:- 30 Kg Approx
- Material- Metal with Powder Coating
- Color: Silver

PRODUCT CODE DHC-022

Biomedical Waste Trolley with Bins

- Nabh Approved 4 Different Colour Bins (with lid), 20 Liter Each Foot Pedal Operated.
- S.S.304 Trolley
- Non Rusting Castors Two with Brake and Two without Brake

PRODUCT CODE DHC-023

Biomedical Waste Trolley - Long Handle

- Nabh Approved 4 Different Colour Bins (with lid), 20 Liter Each Foot Pedal Operated.
- S.S.304 Trolley with Swing Down HandleMounted on 125mm
- Non Rusting Castors Two with Brake and Two without Brake

PRODUCT CODE DHC-024

MS Examination Table with Fixed Mattress

- Fixed upholstered top in two sections.
- Framework made of rectangular & square MS CRC tubes mounted on PVC stumps/shoes.
- Back rest adjustable by hand lever
- Knockdown construction
- Finish: Pre-treated & epoxy powder coated
- Overall Approx. Size: 1800L x 600W x 800H mm.

PRODUCT CODE DHC-025

Gynaecology Examination Table - 2 Section

- (Including Fixed Mattress)
- Fixed upholstered top in two sections.
- Framework made of MS CRC tubes mounted on PVC stumps/shoes.
- Provided with Perineal Cut & pair of lithotomy poles (12mm SS Rod) with Calf Support at foot end of the table.
- Finish: Pre-treated & epoxy powder coated
- Overall Approx. Size: 1830L x 600W x 760H mm

PRODUCT CODE DHC-026

Deluxe Examination Couch

- Back Section Adjustment Degree -Yes
- Capacity 155 Kg
- Made of CRCA sheets.
- Back rest adjustable.
- Padded with foam top in high quality washable Rexene.
- Provided with three drawers and three utility cabinet.
- Provided with inbuilt foot step.

PRODUCT CODE DHC-027

Deluxe Examination Couch with Roll Holder

- With Gyne Cut and Calf Support.
- Made of CRCA sheets.
- Back rest adjustable with pneumatic pump.
- Padded with foam top in high quality washable Rexene.
- Provided with three drawers and three utility cabinet.
- Provided with foldable BP apparatus tray on the side.
- Provided with inbuilt foot step.
- Provision of saline stand.

PRODUCT CODE DHC-028

Motorised Examination Table

- Height Adjustment 550 mm
- Cushion Thickness 50 mm
- Backrest 65 Degree
- Dimension 1880 mm L X 600 mm W
- Premium Fully motorized Examination Table
- Made of CRCA Tubes and Sheets.
- Height & Backrest adjustable via Linear
- Electric Actuators through wired hand held control unit.
- Provided with a utility drawer.
- Provided with Paper Roll holder at the foot end of the table.

PRODUCT CODE DHC-029

Single Footstep - MS | Divine

- Frame made of 1” x 18G CRCA Tube fitted with PVC Stumps/Shoes.
- Step made of M.S. Top fitted with Aluminum strips.
- Finish: Pre treated and Epoxy Powder Coated
- Overall Size (Approx.): 450L x 270W x 240H mm.

PRODUCT CODE DHC-030

Single Footstep - SS | Divine

- Frame made of 1” x 18G SS Tube fitted with PVC Stumps/Shoes.
- Step made of SS. Top fitted
- Finish: Full Stainless Steel
- Overall Size (Approx.): 450L x 270W x 240H mm.

PRODUCT CODE DHC-031

Bedside Screen - MS, 3 Panels

- Framework made of M.S Tubular in three section.
- Legs mounted on 50mm dia castors with hooks and spring wire.
- Plastic washable curtain in blue colour.
- Finish: Epoxy powder coating
- Overall Size: 1727H x 1829L mm

PRODUCT CODE DHC-032

Bedside Screen - SS, 3 Panels

- Framework made of S.S. Tubular in three section.
- Legs mounted on 50mm dia castors with hooks and spring wire.
- Plastic washable curtain in blue colour
- Finish: Stainless Steel Glossy
- Overall Size: 1727H x 1829L mm

PRODUCT CODE DHC-033

IV Stand - SS Base | Divine

Full stainless Steel body Four hooks SS Base Four ABS wheel

PRODUCT CODE DHC-034

IV Stand - ABS Base | Divine

Stainless steel stand with four hooks. ABS base with five ABS wheels; four wheel locks.

PRODUCT CODE DHC-035

Revolving Stool - MS Frame, SS Top

- Sturdy base with four legs for added stability
- Adjustable height for customizable comfort and convenience
- 360-degree rotation for improved accessibility and convenience
- Chrome-plated steel frame for durability and longevity
- Base: four legs
- Seat Height Adjustment: 18-23 inches
- Seat Diameter: 16 inches
- Weight Capacity: 250 lbs Weight of Stool: 3.75 Kg (Approx.)

PRODUCT CODE DHC-036

Revolving Stool - SS Frame, SS Top

- Sturdy base with four legs for added stability
- Adjustable height for customizable comfort and convenience
- 360-degree rotation for improved accessibility and convenience
- Chrome-plated steel frame for durability and longevity
- Base: four legs
- Seat Height Adjustment: 18-23 inches
- Seat Diameter: 16 inches
- Weight Capacity: 250 lbs Weight of Stool: 3.75 Kg (Approx.)

PRODUCT CODE DHC-037

Revolving Stool - MS Frame, Cushioned Top

- With Cushion Top
- Sturdy base with four legs for added stability
- Adjustable height for customizable comfort and convenience
- 360-degree rotation for improved accessibility and convenience
- Chrome-plated steel frame for durability and longevity
- Base: four legs
- Seat Height Adjustment: 18-23 inches
- Seat Diameter: 16 inches
- Weight Capacity: 250 lbs Weight of Stool: 3.75 Kg (Approx.)

PRODUCT CODE DHC-038

Revolving Stool - SS Frame, Cushioned Top

- With Cushion Top
- Sturdy base with four legs for added stability
- Adjustable height for customizable comfort and convenience
- 360-degree rotation for improved accessibility and convenience
- Chrome-plated steel frame for durability and longevity
- Base: four legs
- Seat Height Adjustment: 18-23 inches
- Seat Diameter: 16 inches
- Weight Capacity: 250 lbs Weight of Stool: 3.75 Kg (Approx.)

PRODUCT CODE DHC-039

Single X-Ray View Box - Economy

- View Area-(inches L x H) 14 x 17”
- X-Ray viewer with a thickness of 70mm (less than 3 inches)
- High brightness of upto 3000 Lux, exclusive for viewing detail image freely
- Excellent uniformity of luminance which is more than 85%
- Adopt LED light source with life of 100,000 hours
- Free from flickering, hence reduced eye-fatigue
- Film hanging clips are made from the best quality of
- unbreakable plastic
- Inbuilt power supply
- Wall mounted.

PRODUCT CODE DHC-040

Single X-Ray View Box - Premium

- Single Film 1 Dimmer and 1 Sensor
- Dimensions (L x H) View Area 14 x 17"
- Slimmest X-Ray viewer with a thickness of 25mm (Just 1 inch)
- High brightness of more than 7500 Lux, exclusive for viewing detail image freely
- Excellent uniformity of luminance which is more than 90%
- Adopt LED light source with life of 100,000 hours
- Free from flickering, hence reduced eye-fatigue inbuilt power supply
- Wall & table mounted.

PRODUCT CODE DHC-041

Double X-Ray View Box - Economy

- View Area-(inches L x H) 28 x 17”
- X-Ray viewer with a thickness of 70mm (less than 3 inches)
- High brightness of upto 3000 Lux, exclusive for viewing detail image freely
- Excellent uniformity of luminance which is more than 85%
- Adopt LED light source with life of 100,000 hours
- Free from flickering, hence reduced eye-fatigue
- Film hanging clips are made from the best quality of
- unbreakable plastic
- Inbuilt power supply
- Wall mounted.

PRODUCT CODE DHC-042

Double X-Ray View Box - Premium

- Double Film 2 Dimmer and 2 Sensor
- Dimensions (L x H) View Area 28 x 17"
- Slimmest X-Ray viewer with a thickness of 25mm (Just 1 inch)
- High brightness of more than 7500 Lux, exclusive for viewing detail image freely
- Excellent uniformity of luminance which is more than 90%
- Adopt LED light source with life of 100,000 hours
- Free from flickering, hence reduced eye-fatigue inbuilt power supply
- Wall & table mounted.

PRODUCT CODE DHC-043

Electric LDR Bed

PP Head Panels • PP Moulded Two Pieces individual Side Rails. • Tubular framework mounted on 125mm (5”) Central locking castors. • Three-section top made of Bakelite sheet covered with 3 section Removable suitable Mattress. • Positions Obtained/Function’s by Patient Hand Remote: Backrest, Hi – Low, Trendelenburg & Reverse Trendelenburg. • Leg end section can slide under the main section. • Height adjustable a pair of foam padded knee crutches. • S.S Telescopic I.V. Rod with 4 hooks • Detachable S.S. Tray • Provided with adjustable S.S. Grip Handles on both sides. • Finish: Pretreated and epoxy powder coated. • Advanced linear actuator system (03 pcs. Motor, 01 pcs. Control box, 01 pcs. Handset] • Platform Size (full extended): 1900L x 660W • Backrest angle: 60°, TB / RTB: 9° / 12°

PRODUCT CODE DHC-044

Hydraulic LDR Bed

Foot operated Hydraulic System mechanism by stepping on the pedal located on either side of the table for Hi – Low adjustment. • Backrest, Trendelenburg & Reverse Trendelenburg position Obtained by Smooth Crank System with S.S. Foldable Handle behind head end. • Heavy PP Head Panel with metal inserts along with lock and corner buffer. • PP Moulded two Pieces individual Side Rails. • Tubular framework mounted on 125mm (5”) Central locking castors. • Three-section top made of Bakelite sheet covered with Removable suitable Mattress. • Leg end section can slide under the main section. • Height adjustable a pair of foam padded knee crutches. • S.S Telescopic I.V. Rod with 4 hooks • Detachable S.S. Tray • Provided with adjustable S.S. Grip Handles on both sides. • Finish: Pretreated and epoxy powder coated. • Backrest angle: 50°/Overall Size: 2000L x 950W mm

PRODUCT CODE DHC-045

Manual Telescopic Labour Table - SS

- -Two section top with head section adjustable on ratchet.
- Made of Stainless sheet and pipes.
- Lithotomy leg holders with straps provided at leg end.
- Iv rod made of stainless steel provided at the head end.
- Provided with 50 m.m thick high density
- special pu foam mattress all side covered with
- high quality heavy duty rexine.
- Finish: pretreated and epoxy powder coated.

PRODUCT CODE DHC-046

Attendant Bed with Fixed Mattress

- Framework made of Rectangular / Square M.S. Tube.
- 50 mm (2”) Foam Padded Fixed Mattress Covered with Good Quality Rexine.
- Legs fitted with PVC stumps / Shoes.
- Finish: Pretreated & Epoxy Powder Coated.
- Overall Size: 1840L x 600W x 500H MM

PRODUCT CODE DHC-047

Crash Cart - MS

- MS steel Body-
- "ABS" Wheels
- Oxygen Cylinder stand
- IV stand
- 6 heavy "ABS" bucket
- 6 Drawer with Lock

PRODUCT CODE DHC-048

Crash Cart - SS with CPR Table

- CPR Table and With Side Buffers
- Full stainless-steel Body-
- 304 Grade steel used
- "ABS" Wheels
- Oxygen Cylinder stand
- IV stand
- 6 heavy "ABS" bucket
- 6 Drawer with Lock

PRODUCT CODE DHC-049

Modular Crash Cart / Intubation Trolley

750mm size Medical Crash Cart with Emergency Accessory - Cardiac Board, IV Pole, O2 Holder, Power Cord, Trash Bin, Drawers with Dividers - Mobile Emergency Cart

PRODUCT CODE DHC-050

Instrument Trolley - SS, Small

Framework made-up of S.S. tubes Two S.S. Shelves with S.S. railing on 3 sides The trolley mounted on 100 mm diagonal locking Castors Finish: All stainless steel 610L x 460W x 815H mm

PRODUCT CODE DHC-051

Instrument Trolley - SS, Medium

Framework made-up of S.S. tubes Two S.S. Shelves with S.S. railing on 3 sides The trolley mounted on 100 mm diagonal locking Castors Finish: All stainless steel 760L x 460W x 815H mm

PRODUCT CODE DHC-052

Instrument Trolley - SS, Large

Framework made-up of S.S. tubes Two S.S. Shelves with S.S. railing on 3 sides The trolley mounted on 100 mm diagonal locking Castors Finish: All stainless steel 915L x 610W x 815H mm

PRODUCT CODE DHC-053

Dressing Trolley - Stainless Steel

- Frame work made of S.S. tubes
- Two S.S. Shelves with S.S. railing on all four sides
- The trolley fitted S.S. bucket and S.S bowl
- The trolley mounted on 100 mm (4”) diagonal locking Castors
- Finish: S.S. Frame, S.S. shelves with S.S. Basin & Bucket
- Overall Size (Approx.): 30”L x 18”W x 32”H

PRODUCT CODE DHC-054

ECG Trolley with Basket

MS Body With Basket

PRODUCT CODE DHC-055

ECG Trolley - MS

- Overall approx dimension: 610 mm L X 510 mm W X 850 mm H
- MS tubular frame work
- Three shelves,Top Shelf Stainless Steel and Two Shelf MS
- Push handle-SS
- 125 mm Non rusting wheel two with lock
- Pretreated and power coated

PRODUCT CODE DHC-056

ECG Trolley - SS

- Overall approx dimension: 610 mm L X 510 mm W X 850 mm H
- SS tubular frame work
- Three shelves,All Shelf Stainless Steel
- Push handle-SS
- 125 mm Non rusting wheel two with lock

PRODUCT CODE DHC-057

Infant Radiant Warmer - TIANA-NW | SST

- Advance micro processor controlled system with self check on the electronic circuitry Skin / Manual control.
- Digital Display of Baby Temperature / Set Temperature. Manual / Servo two function control modes provide the clinician more flexibility while optimizing the thermal environment.
- The Spacious baby bed incorporated easily drop down sides for maximum access to the baby.
- The Control Panel is also the heart for a completely integrated alarm system with both audible and visual Indicators in the event of
- Probe Fail
- Skin High
- Skin Low
- Power Fail

PRODUCT CODE DHC-058

Infant Radiant Warmer - NWS 101 | Phoenix

Brand: Phoenix Model:NWS 101 Neonatal Warming System (NWS 101) Infant radiant warmer -nws 101 - servo controlled with skin probe, Infusion stand, monitor stand, and with one Drawer. Bright, clear LED displays display all the necessary Information, such as the temperature setting or set Temperature, the current temperature of the baby's skin, and the heater output.

PRODUCT CODE DHC-059

Single Surface Phototherapy Unit | SST

- SST 15 LED Single Surface Sunshine Phototherapy Unit
- LED 9-12 hi power LEDs(blue) (white LED optional)
- Irradiance >42 mw/cm2/nm at 30cm
- Light source lifetime minimum 25,000hrs.
- Less than 10% change in illumination after 25,000hrs (irradiance)
- Wavelength 420-480 nm
- Variation in intensity for 6 hours<10%
- Effective area 50 cm X 30 cm.

PRODUCT CODE DHC-060

Brilliance Pro Phototherapy | Phoenix

(Brand: Phoenix, Model: Brilliance Pro) LED Phototherapy Top Unit with height-adjustable, light unit with Smart Tilt Technology, High & Low Settings, digital time totaller for LED usage and therapy time with Back light LCD, Observation Lights (High Intensity LED: 40 µW / cm2 / nm.)- Without light meter

PRODUCT CODE DHC-061

Double Surface Phototherapy | SST

- Model: 24 LED Double Surface
- LED 9/12/15 hi power LEDs(blue)(white LED optional)
- Irradiance >42 mw/cm2/nm at 30cm
- Light source lifetime minimum 25,000hrs.
- Less than 10% change in illumination after 25,000hrs(irradiance)
- Wavelength 420-480 nm
- Variation in intensity for 6 hours<10%
- Effective area 50 cm X 30 cm.

PRODUCT CODE DHC-062

Brilliance Pro with Bassinet | Phoenix

Brilliance Pro with Basinet Phoenix LED Phototherapy Top Unit with height-adjustable, light unit with Smart Tilt Technology, High & Low Settings, digital time totaller for LED usage and therapy time with Back light LCD, Observation Lights (High Intensity LED: 40 µW / cm2 / nm.)- Without light meter)

PRODUCT CODE DHC-063

Bubble CPAP System

- Humidifier (Flexicare) - 01 No.
- Blender (Gentec) - 01No.
- Pole Stand :- 01 No.
- Gas Supply Pipe Line :- 01 No.
- Bonnet Small , Medium , Large :- 02 Nos. Seat Each. Total :- 06 Nos. Basmed.
- Nasal Tubing :- 02 Nos. (Basmed)
- Mask :- Small , Medium,Large 02 Nos. Seat Each. Total 06 Nos. Basmed.
- Bubble Cpap Circuit :- 02 Nos.

PRODUCT CODE DHC-064

SVAAS nCPAP | Phoenix

- Make : Phoenix Medical System Bubble Flow, driven High, Flow therapy
- The Next-generation smart nCPAP.
- Trends (upto 72 hrs)
- Display-7''
- Alarms (Visual and audible alarms alert for disconnection of the patient, FIO2 level or pressure level crossing set limits, drop in input gas supply, power failure, low battery)
- Event Log & Transfer
- Apnea detection
- Its compact form houses a blender, the interface.
- Svaas uses electronic blending technology for accurate control of the breathing gas.
- Svaas comes with the universal circuit interface, which makes it suitable for any circuit.

PRODUCT CODE DHC-065

Infant Resuscitator - IR100

- IR100
- Inbuilt flow meter 0 to15 LPM Dual input gas supply
- Patient pressure measured near the patient end
- Easy to mount any ware
- Dimension – 170 (L) x 110 (W) x 180 (H) mm
- Weight (approx.) – 2.5kg

PRODUCT CODE DHC-066

NeoPIP Infant Resuscitator

- Lightweight and durable, the NeoPIP™ Infant Resuscitator provides controlled and accurate resuscitation and ventilation of neonates and infants up to 10kg
- Large Manometer
- Adjustable Controls
- Precise Pressures
- Accurate Delivery (Used with a blender and flow meter, NeoPIP Infant Resuscitator delivers accurate oxygen concentrations of up to 100%, with flow rates of up to 15L/min.)
- Lung Protective Delivery
- Durable and Dependable
- Secure Connection
- Universal Connection (Standard 15mm Female Connector accepts standard Infant Resuscitator T-Piece Circuits without the need for an adapter)

PRODUCT CODE DHC-067

Paediatric Laryngoscope | Scope

Curved stainless steel blades; sizes MIL-00, 0, 1. LED light source. Blade count to be confirmed.

PRODUCT CODE DHC-068

Adult Laryngoscope | Scope

- With 4 Blades
- Blade Type Curved
- Number of Blades 4
- Size of Blade MAC-1,2,3,4
- Light Source LED
- Working Length 3 Years
- Material SS

PRODUCT CODE DHC-069

Oxygen Hood | Divine

Divine Brand

PRODUCT CODE DHC-070

Soiled Linen Trolley - MS

- Framework made of CRC M.S. tube mounted on 100 mm (4”) diagonal locking castors.
- Push handle at one end
- Superior quality & washable Plastic Bucket of 100 ltrs.
- Finish: Pre-treated and Epoxy powder coated frame
- Overall Size (Approx.): 635L x 530W x 930H mm.

PRODUCT CODE DHC-071

Soiled Linen Trolley - Stainless Steel

- Framework made of SS tube mounted on 100 mm (4”) diagonal locking castors.
- Push handle at one end
- Superior quality & washable Plastic Bucket of 100 ltrs.
- Finish: Stainless Steel Frame
- Overall Size (Approx.): 635L x 530W x 930H mm.

PRODUCT CODE DHC-072

Hydraulic OT Table - Divine 1203, SS202

- SS202 Height Adjustable Range (in mm) 750 mm to 1000 mm Max Patient Load (in Kgs) 135 kgs Table Length (in mm) 1900 mm Table Width (in mm) 520 mm
- Center Pillar
- Stainless Fitting
- Detachable, Head, leg & Pelvic section
- Water Proof Rubber Mattress
- Lateral support With Pad
- Arm Boards with pad Table Position Height Adjustment – Up & Down (Hydraulic) Lateral Tilt – Left & Right Trendelenburg & Reverse Trendelenburg Flex Position & Reflex Position

PRODUCT CODE DHC-073

Hydraulic OT Table - Divine 1203, SS304

• SS304 Height Adjustable Range (in mm) 750 mm to 1000 mm Max Patient Load (in Kgs) 135 kgs Table Length (in mm) 1900 mm Table Width (in mm) 520 mm
• Center Pillar
• Stainless Fitting
• Detachable, Head, leg & Pelvic section
• Water Proof Rubber Mattress
• Lateral support With Pad
• Arm Boards with pad Table Position Height Adjustment – Up & Down (Hydraulic) Lateral Tilt – Left & Right Trendelenburg & Reverse Trendelenburg Flex Position & Reflex Position

PRODUCT CODE DHC-074

C-Arm Compatible Hydraulic OT Table

Encentric Pillars • Stainless Fitting • Detachable, head, leg & Pelvic section • In built kidney bridge • Five Sectional Radio - Translucent Top. • Base & Cover made of attractive, east to clean Stainless Steel. • Sophisticated mechanics provide smooth, step less articulation of the table Top for precise patient positioning. Technical Specifications • Length of Table 2000 mm • Width of Table Top 540 mm • Minimum Height (without Mattress) Min. 750 mm • Maximum Height (without Mattress) Max. 1000 mm • Trendelenburg 25° • Reverse Trendelenburg 25° • Lateral Tilt 20° • Back Section ±70° • Head Section ±60° • Leg Section 0°-90° • Floor Locking System Manual

PRODUCT CODE DHC-075

C-Arm Compatible Electric OT Table

Encentric Pillars • Stainless Fitting • Detachable, head, leg & Pelvic section • In built kidney bridge • Five Sectional Radio – Translucent Top. • Base & Cover made of attractive, easy to clean Stainless Steel. • Sophisticated mechanics provide smooth, step less articulation of the table top for precise patient positioning. • Standby Battery Back-up with recharging circuit. • Length of Table 2000 mm • Width of Table Top 520 mm • Minimum Height (without Mattress) Min. 750 mm • Maximum Height (without Mattress) Max. 1000 mm • Trendelenburg 25° • Reverse Trendelenburg 25° • Lateral Tilt +20° • Back Section +70° • Head Section +60° • Leg Section 0°-90° • Floor Locking System Manual • Height Adjustment – Up & Down • Lateral Tilt – Left & Right • Trendelenburg & Reverse Trendelenburg • Flex Position & Reflex Position

PRODUCT CODE DHC-076

Surgeon Chair - AR-701

- Ar-701
- Cushioned top with 5 leg base mounted on 5cms castors.
- Adjustable height with pneumatic pump
- Provided with back support and tubular ring for foot support

PRODUCT CODE DHC-077

ULV Fogger with Timer - SS304, 6 Litre

- (ULV Fogger Machine with Timer (SS-304), Capacity 6 Litre Approx.)
- Stainless Steel body to ensure portability & resist chemical attack
- Highest area coverage as compared to any other conventional fogger in its category
- The unit has a vertical adjustable head and can be rotated horizontally to gain better direction, maximum results and greater efficiency.
- Compact design and low weight utilizes very little space and the unit can be installed without making any structural changes or modifications
- The unit comes pre-fitted with a liquid flow control valve for ease of use. Fog output is controlled with this valve. Higher the volume of output, larger will be the fog particles and vice versa, Tank Capacity Approx. : 6 Liter of chemical storage. Supplied with 60 Minutes Timer

PRODUCT CODE DHC-078

Single Dome OT Light - Butterfly 4 | Divine

- Brand: Divine Butterfly-4
- Lux Power Intensity : 160000
- Color Rendering Index : 95
- Number of led : 60
- Size of light field. : 12-30 cm
- Colour Temp. : 4000-5000k
- Dimming : 10%---100%
- LED Average Life : >50000 Hrs
- Power Supply Focusing : 220/50hz
- Adjustable focus by handle
- Narrow focus technology using here
- LED MAKE OSRAM
- Yellow and White LED Combination
- Aluminium Body (Structure)

PRODUCT CODE DHC-079

Single Dome OT Light - R8 48

Features Fully Aluminum Body Dome Laminar Air Flow Compatible Different Colour Combination And Hd Led Lights 1) Imported LED cold light source is adopted, with the ultrathin optical lens. 2) Digital means are adopted for stepless regulation of LED brightness. 3) Light field size can be adjusted by the handle. 4) The removable handle sheath can be disinfected. 5) The service life of LED shadowless lamp is long (50,000 hr). 6) The imported switch power supply is adopted to control the voltage, making the working voltage permanently stable. 7) Colour temp can be adjusted Max. Light Intensity at 1m (lux) :150000, No. of LED's :48 LED's Life time. :> 50,000, Dome diameter :550mm Colour Rendering Index (RA). :>93 Colour temperature in kelvin:3500K-5000K Focus Adjustment :Adjustable manually Control on dome :Soft Touch/Digital Light field diameter :100-150 or more Input Voltage :AC 220 230V / 50-60 Hz



PRODUCT CODE DHC-080

Double Dome OT Light - Butterfly (4+4) HD

- Brand: Divine Butterfly (4+4)HD
- Lux Power Intensity : 160000+ 160000
- Color Rendering Index : 95
- Number of led : 60+60
- Size of light field. : 12-30 cm
- Colour Temp. : 4000-5000k
- Dimming : 10%---100%
- LED Average Life : >50000 Hrs
- Power Supply Focusing : 220/50hz
- Adjustable focus by handle
- Narrow focus technology using here
- LED MAKE OSRAM
- Yellow and White LED Combination
- Aluminium Body (Structure)

PRODUCT CODE DHC-081

Double Dome OT Light - R8-48

- Features Fully Aluminum Body Dome Laminar Air Flow Compatible Different Colour Combination And Hd Led Lights 1) Imported LED cold light source is adopted, with the ultrathin optical lens. 2) Digital means are adopted for stepless regulation of LED brightness. 3) Light field size can be adjusted by the handle. 4) The removable handle sheath can be disinfected. 5) The service life of LED shadowless lamp is long (50,000 hr). 6) The imported switch power supply is adopted to control the voltage, making the working voltage permanently stable. 7) Colour temp can be adjusted Details of One Dome Max. Light Intensity at 1m (lux) :160000
- 2, No. of LED's :48
- 2 LED's Life time.:> 50,000, Dome diameter:550mm Colour Rendering Index (RA). :>93 Colour temperature in kelvin:3500K-5000K Focus Adjustment :Adjustable manually Control on dome :Soft Touch/Digital Light field diameter :100-150 or more Input Voltage :AC 220 230V / 50-60 Hz

PRODUCT CODE DHC-082

Portable Examination Light - 7 LED

- 7 LED 10000 Lux Glass Examination Operation Theater Light
- LED Technology
- Spotlight Design
- Flexible Positioning allowing for precise medical treatments and accurate inspection
- The O.T. light is equipped with user-friendly controls

PRODUCT CODE DHC-083

Portable Examination Light - LED 21

Optimized lighting: This product generates 55,000 Lux illumination brightness at 1 meter distance for clear accurate lighting. Efficient LED Technology: The device contains 21 high- performance LEDs that produce consistent bright illumination through its efficient LED technology. Long LED Lifespan: This LED device exceeds 50000 hours of operational time which minimizes maintenance-related requirements. Compact Design: The focused lighting requirements fit perfectly with this product because it has a 250mm dome diameter.

PRODUCT CODE DHC-084

Mayo's Trolley - Single Gear

- Frame work made of S.S. rectangular / Square tubes
- Height adjustable by Single gear handle
- Table mounted on 50 mm Diagonal locking castors Finish: S.S. Frame with S.S. Removable tray
- Overall Size (Approx.): 600L x 400W x 900 - 1200H mm.
- Tray Size (Approx.): 625L x 440W mm Note: Also available M.S Framework S.S Tray.

PRODUCT CODE DHC-085

Cautery Machine - 250 MDD+ | Medilap

- Brand : Medilap Model: MEDILAP 250 MDD+ (250 Watt)
- Convenient for visiting consultants, suitable for general surgical applications and compact and lightweight size of the device.
- Reduced RF distortion in other O.T. Equipment's due to noiseless performance.
- Patient plate monitoring facility, eliminate the risk of site burns.
- Independent monopolar and bipolar output can be used simultaneously by foot switch and hand both.
- All power modes are separately indicated by LED indicators.
- Push button selector switch for controlling power intensity and selecting different modes.
- Digital display for set power intensity for different modes.



PRODUCT CODE DHC-086

Cautery Machine - 400 Primo | Medilap

Model: Medilap primo (400 Watt) he MEDILAP 400 PRIMO is a 400-watt high-power both Monopolar & Bipolar Open & Lapro -Underwater Cutting and Coagulation(TURP) operating room generator/Electrosurgical Unit. The unit consists of a tissue impedance monitoring system, self-adjustment of power output to reduce the continuous power setting for different tissue needs, to provide user consistent performance with all digital display of power and modes. 400 watts maximum power output Monopolar and bipolar capable Coagulation modes with spray coagulation. frequency range 350 – 550 Khz

PRODUCT CODE DHC-087

Syringe Pump - Acura S1 | BPL

- Acura S1 is full featured syringe infusion pump, designed to facilitate comprehensive solution for critical care and general infusion applications. Infusion Modes: Rate mode, Time mode and Drug/Weight mode.
- Dual Display: 2.8-inch color LCD & LED for rate display
- Compatible with all standard syringes: 5ml – 60ml
- Infusion Modes: Rate Mode, Time Mode and Drug/Weight Mode
- In-built Drug Library
- Dual Bolus Modes: Manual & Automatic bolus
- 3 level occlusion sensitivities setting (programmable)
- 2000 history records and last configuration memory
- Horizontal & Vertical fixation clamp

PRODUCT CODE DHC-088

Syringe Pump - Terumax RX | Akash

(Akash Brand) Terumax RX Pump • Flow Rate only, Flow Rate & Target volume, Flow Rate & Target Time, Target volume and target time, Drug library mode, Syringe pump with PCA Mode, High pressure mode • Weight 1.5 kg • Dimension 170 x 107 x 135mm • Power Supply DC 18V (1A) / 220 V AC • Flow rate: 0.01 -3000 ml/hr • Battery Backup 8hrs,5ml.hr Flow rate on 50ml Syringe • Infused Volume 0.1-9999 ml • Flow Rate Range 0.01-100 ml/Hr (2ml Syringe) • KVO 0.1ml/Hr to 9.9ml/Hr in 0.1 ml increment • Display LCD & LED Display • Battery 12V (800 mAh) NiMH Battery • Space occupied 2.4 ltrs • Bolus Volume 0.1ml to 10 ml in 0.1 ml increments • Occlusion Pressure 10 steps selection (OFF to 9 Levels) • Bolus Flow Rate 0.1-100 ml/Hr (2ml Syringe)

PRODUCT CODE DHC-089

Syringe Pump - AB 100 S | ABM

Brand : ABM (Model: AB 100 S) (1 year warranty) Accer Biomedicals • Open system: Accepts all standard syringes of 5ml, 10ml, 20ml/30ml, 50ml/60ml. • Built-in three types of syringe brands: Dispovan, Romsons, BD. KVO/Bolus function. • Anti-bolus system to reduce significantly after occlusion sudden release. • Three levels of Occlusion Pressure Alarm. • Identify the specifications of syringe automatically. • Freely Stackable: Users can freely stack one syringe pump onto another to provide multiple solutions. Power lost memory. • Visual and audible alarm system and accurate injection rate make the injection process safer and reliable. • Accurate and sensitive pressure sensor detects occlusion pressure accurately. • Excellent injection operation. The accuracy will be ensured even at small-volume injection.

PRODUCT CODE DHC-090

3-Channel ECG Machine - 300GA | Contec

- 3 channel ECG machine with 12-lead ECG signal processing.
- 3.5″TFT Color LCD
- 12 Leads ECG simultaneous acquisition
- Simultaneous display of 3/6/12 leads ECG waveform
- ECG waveform in AUTO/Manual mode
- Diagnosing ECG waveform parameters automatically with self interpretation
- “Lead off” and “Lack of paper” alarms
- Multi-language interface
- Patient History Management

PRODUCT CODE DHC-091

12-Channel ECG Machine - 1200G | Contec

- Screen size 8 inches
- Leads 12 leads
- Input way Floating and defibrillation protection
- Lead Standard 12 leads(model:BIP0057)
- With the functions of auto-analysis and auto-diagnosis for routine ECG parameters, provide measurement results and auto- diagnosis conclusion for HR, P-R interval, P Duration, QRS Duration, T Duration, Q-T interval, Q-Tc, P Axis, QRS Axis, T Axis, R(V5), S(V1), R(V5)+S(V1), etc. which reduces the doctor's burden.

PRODUCT CODE DHC-092

12-Channel ECG - Cardiart 9108D | BPL

- Brand :BPL BPL CARDIART- 9108D- 12 Channel ECG Machine
- 12-channel ECG recording
- 7-inch high resolution color LCD with touch screen option
- Glasgow ECG Interpretation algorithm
- 24-bit A/D converter, 0.01 - 300 Hz bandwidth, 16000 Hz sampling frequency
- Internal storage of upto 800 ECGs that can be enlarged by USB & SD card
- High performance Li-ion rechargeable battery
- Report formats: PDF and optional SCP/FDA-XML/DICOM data export
- Connectivity: FTP, supports barcode scanner & USB printer
- optional Wi-Fi Optional PC interface software allows to access EMR/PACs/GDT-based Systems (HL7 protocol)

PRODUCT CODE DHC-093

Neonatal SpO2 Monitor | Covidien Nellcor

- Distinctive digital signal processing technology from Covidien.
- Variable pitch beep tone to hear point-by-point changes in SpO2.
- Five-hour battery life with an optional ten-hour battery.
- 96-hour trend memory captured every four seconds.
- Patient trend data can be stored on a PC for archive and analysis.
- Easy-to-use jog dial for simple navigation and control.
- Compact, portable, lightweight, durable, easy-to-transport.
- Multiple-language graphical user interface.
- Capable of displaying pleth waveforms, pulse amplitude, and current measured SpO2 and pulse rate.
- Multicolor display screen with a black background.
- Back-up audible alarm.
- On-screen help messages to assist the user in the use of the monitor.

PRODUCT CODE DHC-094

Radical-7 Pulse CO-Oximeter | Masimo

Featuring Masimo rainbow SET® Pulse CO-Oximetry in a Versatile, Upgradeable Monitor Leading Technology SpO2- Oxygen Saturation† PR-Pulse Rate† Pi-Perfusion Index PVi®-Pleth Variability Index • RRp-Respiration Rate from the Pleth

PRODUCT CODE DHC-095

3-Parameter Monitor - CMS 5100 | Contec

- Model CMS 5100:
- Parameters measured: SPO2, NIBP, Pulse Rate, Temperature.
- 8” high brightness TFT LCD display
- Parameters: NIBP, SpO2 and pulse rate
- High brightness LED display of NIBP, SpO2 and pulse rate with red and yellow highlight LED
- Adjustable Visual and Audio alarms
- Built-in rechargeable Li-polymer battery backup (up to 4-6 hrs of working)
- Can be used for indoor and outdoor monitoring

PRODUCT CODE DHC-096

3-Parameter Monitor - Megna | BPL

- 7” Colour TFT LCD Screen with LED backlight
- Monitors and records ECG, SpO2 and NiBP
- Detects and indicates occurrence of arrhythmia
- Memory storage: 24 hrs of graphical and tabular NiBP trend with alarm condition
- Audible tone to alert variations in ECG, SpO2 and NiBP
- Zoom option in graphical trend facilitates more accurate analysis
- User-selectable color scheme
- Separate visual alarm indicators for ECG, SpO2 & NiBP
- The device comes with built-in rechargeable NiMH battery
- Optional BPL Medius+ Central Nursing Station

PRODUCT CODE DHC-097

5-Parameter Patient Monitor - ECO | Accer

- Brand: Accer biomedical Model: ECO Product Feature
- Flexible, Light, Easy Operating .Colorful and Clear 12.1" TFT screen, Backlight buttons available
- Various language operating systems
- Built-in detachable rechargeable lithium battery, 2.5hours battery life Alarming - more safe and reliable
- 3 level Audible and visual alarming, Dual alarm light for physiological and technical alarming Data Storage - stable and fast
- 400 groups NIBP measurements
- 72hours Trend data and Trend graphs
- 200 groups Alarm events reviewing
- 12hours Wave forms reviewing
- Supporting for Arrhythmia analysis and drug dose calculation

PRODUCT CODE DHC-098

Multiparameter Monitor - VX 12 | Nidek

- Nidek Brand (Model: VX 12) Suitable for adult, pediatric and neonatal patients
- 12.1'' TFT color LCD With Touch Screen
- Parameters: ECG, NIBP, SpO2, Pulse Rate, Respiration, Temperature and IBP (upgradable)
- Maximum 8-channel waveform synchronous display
- Graphic and tabular trends for 96 hours for all formats
- Multi-screen format
- Powerful data management and storage capacity, 500 NIBP measurement data can be storage and recall
- AC/DC, built-in rechargeable lithium battery achieves uninterrupted monitoring
- Visual and Audio alarms, adjustable.
- Measurement Mode: Manual/Auto/Sta

PRODUCT CODE DHC-099

5-Parameter Monitor - Vivid Vue M10 | BPL

- BPL Vivid Vue M10
- 10.4" color screen shows vital signs clearly for quick and easy monitoring.
- Tracks key parameters like heart rate, oxygen levels, and breathing rate accurately.
- Simple button-based interface makes it easy to use.
- Long-lasting battery supports uninterrupted monitoring during power cuts.
- Lightweight and portable, ideal for wards, ICUs, or smaller clinics.
- Includes OxyCRG screen to monitor critical trends for better care decisions.

PRODUCT CODE DHC-100

CTG Machine - BT-350 | Bistos

Brand BISTOS (Original) Model: BT-350 With Battery, With Twin Probe. Product Description BT-350 LCD is an Antepartum Fetal monitor displaying FHR, UC and FM on the LCD screen to check fetal health. It has the same functions as LCD type except having large 7- segment LED showing all the setting parameters and not having trend mode. It has also a event marker enabling a pregnant woman in the oed to indicate fetal movement point by pushing the button herself when she feels fetal movement.

PRODUCT CODE DHC-101

CTG Machine - FM 9852 | BPL

- Brand: BPL Model: FM 9852 A compact, lightweight and portable fetal monitor. Has high sensitive water-proof FHR probe, Manual and Automatic fetal movement recording function.
- 7-inch High resolution color LCD with foldable screen
- Monitoring of FHR/Twin FHR (FM 9852T), TOCO, Fetal Movement
- High-sensitivity water-proof ultrasound probe
- Automatic Fetal Movement detection with Event Marker
- Data storage facility, Li-ion Battery, 152mm Thermal printer

PRODUCT CODE DHC-102

CTG Machine - FM 9853 | BPL

- Brand: BPL Model: FM 9853 FM 9853 has a larger display which helps monitoring from longer distance. Has high sensitive water-proof FHR probe, Manual and Automatic fetal movement recording function.
- 12.1-inch High resolution color LCD with foldable screen
- Monitoring of FHR/Twin FHR (FM 9854), TOCO, Fetal Movement
- High-sensitivity water-proof ultrasound probe
- Automatic Fetal Movement detection with Event Marker
- The device is compact, portable and lightweight
- Data storage facility, Li-ion Battery, 152mm Thermal printer

PRODUCT CODE DHC-103

Height Adjustable Infant Bassinet

- Material FRP Plastic
- Finish Color Coated
- Height Adjustable
- No of Wheels 4 Wheel
- Diameter 100 mm
- Clear plastic bassinet to secure clear visibility for observer.
- Inclination angle adjustable by gas spring, 0-12°.
- Height adjustable by gas spring, 920-1070mm. 100mm dia. Polyurethane single-wheel casters with brakes on opposite corner,The smooth rotating caster will provide silent transportation.
- pink color and blue color for options.

PRODUCT CODE DHC-104

Premium Baby Crib | StarAndDaisy

Height adjustable baby crib. Next-to-bed setup. Pink finish. Brand: StarAndDaisy.

PRODUCT CODE DHC-105

Foetal Doppler - FD 9714 | BPL

- FD9714 has color display which can even display FHR curve. Product has IP22 Ingress Protection.
- 2-inch color display.
- 2.5MHz High Sensitivity Probe Dual Display
- Mode: FHR Curve display (Waveform) & Big Font mode
- Visual Alarm Indicator
- IP22 Ingress Protection
- In-built rechargeable Li-ion battery - Micro USB charger
- In-built speaker and headphone socket

PRODUCT CODE DHC-106

Foetal Doppler - FD 9713N | BPL

- Fetal Doppler with 2.5 MHz water proof probe which is Interchangeable monitors foetus >12 weeks. Three calculation modes to calculate fetal heart rate -instant, Average and Manual.
- Handheld Fetal Doppler with LCD screen
- 2.5MHz waterproof Probe
- Assures accurate FHR detection with clear sound
- In-built rechargeable Li-ion battery
- In-built speaker and headphone socket

PRODUCT CODE DHC-107

Single User Scrub Station - SS304

Single User - Elbow Operated SS304 Jaguar Fitting

PRODUCT CODE DHC-108

Two Tap Scrub Station - SS304

- Elbow/ Or Foot Operated
- Model: Floor Model
- Moc: Stainless Steel SS304
- Spout: Branded Make Spout
- Manual Elbow Spout , Mixer Spout Operated
- Operation: Manual Foot Operated
- Size: 1500Mm(L) X 560Mm (W) X 1380Mm (H)
- Automatic Thermostatic Mixer
- Options: Available In Automatic Sensor

PRODUCT CODE DHC-109

Hospital Curtain with Track & Installation

For 50-bedded hospital setup. Includes track, curtain and installation.



PRODUCT CODE DHC-110

Baby Observation Trolley / Bassinet

- Transparent side panels ensures the visibility of the baby from long distance.
- Detachable and unbreakable hinge fixed to the side panels helps to sterilize easily.
- The bed can be tilted on both sides for Trendelenburg and Fowler's position.
- Soft baby mattress for the comfort of the infant.
- Strong lockable castors for easy movement and lock in same position.
- Storage tray for placing records. (Optional)

PRODUCT CODE DHC-111

Anaesthesia Trolley - Venus Lite

Model Name/Number: Venus Lite • Usage/Application: Operation Use • Oxygen Flush: 35-70 LPM • Cylinder Yokes: 2 Oxygen + 2 Nitrous • Is It Portable: Portable • Monitor Shelf: Yes • Number Of Wheels: 4 • Automation Grade: Manual • Gas Source: Oxygen And Nitrous • Number Of Gas: 2 • Rotameter Tubes: 2 Tubes • Positioning: Trolley • Material: Powder Coated Mild Steel • Hypoxic Guard: Optional • Single Drawer

PRODUCT CODE DHC-112

Anaesthesia Workstation - E-Flo 6 | BPL

• BPL- Eflow 6 E-Flo 6 comes with the latest refinements in ergonomics and systems integration with an advanced, easy to use anaesthesia platform designed by experts to streamline your anaesthesia workflow. An anaesthesia workstation designed for adult and paediatric care, it features an 8.4 inch colour TFT screen, advanced proportional solenoid valve technology and dual flow sensing to realise accurate ventilation control.
• 8.4″ colour TFT screen with display of pressure-time, flow-time & volume-time waveforms
• Standard ventilation modes of VCV, PCV, Manual & Standby
• Advanced proportional solenoid valve technology to realize accurate ventilation control
• Fully integrated absorber system with heater function and CO2 bypass
• Compact and light-weight body design for easy & safe manoeuvrability
• Yoke system (1xO2, 1xN2O; without cylinders)

PRODUCT CODE DHC-113

Suction Machine - 0.5 HP | Mediguard

0.5 HP (Mediguard Brand) With Copper motor and polycarbonate jar

PRODUCT CODE DHC-114

Suction Machine - 0.25 HP | Mediguard

0.25 HP (Mediguard Brand) With copper motor and polycarbonate jar

PRODUCT CODE DHC-115

Refurbished Ventilator - SERVO-i | Maquet

Humidifier supplied separately. Model: Maquet servo I ther Details: SERVO-i combines a high level of clinical performance for invasive, non-invasive or neutrally controlled ventilation with outstanding mobility and cost efficiency. It features all the modes you would expect from an advanced ventilation system in one adaptable platform. Four basic configurations are available: SERVO-i Infant, SERVO-i Adult, and two editions of SERVO-i Universal for all patient categories. SERVO-i Infant and SERVO-i Adult can always be upgraded to SERVO-i Universal.

PRODUCT CODE DHC-116

Defibrillator - Relife 900/AED/R | BPL

• Brand BPL Model: Relife 900/AED/R The Relife 900 is a biphasic defibrillator system that provides advanced monitoring functions and acute cardiac care by multiple modes of operation.
• Biphasic defibrillator
• 7-inch color TFT screen
• User selectable energy levels from 2J to 300J in manual defibrillation mode
• Synchronized cardioversion
• Remote energy selection and charging through paddles
• 24 events recording
• Minimum 100 discharge of 300J with fully-charged new battery
• Optional enhancement: AED, NIBP, MASIMO SPO2, either pacing or capnography (CO2)

PRODUCT CODE DHC-117

Wing Nut Autoclave - 12 x 22 inches

Size - 12" X 22" Capacity - 39-42L Body - SS

PRODUCT CODE DHC-118

Digital Wing Nut Autoclave - 12 x 22 inches

- Digital temperature display, timer and alarm. Low water cut-off.
- Size: 12 x 22 inches.
- Capacity: 39-42 L.
- Stainless steel body.

PRODUCT CODE DHC-119

Digital High Pressure Autoclave - 16 x 24 inches

- Digital temperature display, timer and alarm.
- Low water cut-off; triple-wall construction.
- Water level indicator and steam lock system.
- Size: 16 x 24 inches.
- Capacity: 75-80 L.
- SS304 body.

PRODUCT CODE DHC-120

Stainless Steel Dressing Drum - 11 x 9

Super deluxe quality, seamless stainless steel. Diameter x height: 11 x 9 (as specified).

PRODUCT CODE DHC-121

Stainless Steel Dressing Drum - 15 x 12

Super deluxe quality, seamless stainless steel. Diameter x height: 15 x 12 (as specified).

PRODUCT CODE DHC-122

Heavy Instrument Tray with Cover - 12 x 10

Heavy stainless steel instrument tray with cover. Size: 12 x 10 (as specified).

PRODUCT CODE DHC-123

Instrument Tray with Cover - 15 x 12

Stainless steel instrument tray with cover. Size: 15 x 12 (as specified).

PRODUCT CODE DHC-124

Instrument Tray with Cover - 18 x 12

Stainless steel instrument tray with cover. Size: 18 x 12 (as specified).

PRODUCT CODE DHC-125

Heavy Stainless Steel Kidney Tray - Size 6

Heavy stainless steel kidney tray. Size: 6 (as specified).

PRODUCT CODE DHC-126

Heavy Stainless Steel Kidney Tray - Size 8

Heavy stainless steel kidney tray. Size: 8 (as specified).

PRODUCT CODE DHC-127

Heavy Stainless Steel Kidney Tray - Size 10

Heavy stainless steel kidney tray. Size: 10 (as specified).

PRODUCT CODE DHC-128

Cirona 6200 DVT Pump

Cirona 6200 DVT prevention therapy pump. • The timed cycle includes a 12-second inflation period as well as a 48-second relaxation period. • Inflation Cycle 12 seconds • Rest Period 48 seconds • Display Digital • Weight 5.1 lbs • Dimensions 4 x 7 x 11 inch (W x L x H) • Cycle Time 60 seconds • Pressure 40mmHg • Voltage 100 - 240 VAC • Frequency 50-60 Hz • Fuse Rated 250 VAC, 1.0AMP, SLO-BLO Sales package Content: • Devon Cirona 6200 DVT Pump • 1x Pair of Calf Sleeves • Hose Pipe • Power Cable and User Manual